


"STANDARD HOUSING ASSEMBLY"

(Application Requirements)

FOR ILLUSTRATION PURPOSES ONLY - NOT DRAWN TO SCALE



**BUILT IN HOUSING ASSEMBLY
INSTALLATION**
(CROSS-SECTIONAL VIEW)

**SURFACE OR UNDER HEADER
INSTALLATION**
(CROSS-SECTIONAL VIEW)

HOUSING SIZE and HOUSING SPACE REQUIREMENTS

OVERALL SYSTEM		OVERALL HOUSING SIZE		MINIMUM CAVITY SIZE	
WIDTH	HEIGHT	A	B	C	D
3'-7'	8' MAX	5.5"	5.5"	8.375"	8.5"
8'-18'	9' MAX	5.5"	5.5"	8.375"	8.5"
3'-7'	9'-16'	7.125"	7.125"	10"	10.125"
8'-18'	10'-16'	7.125"	7.125"	10"	10.125"
19'-25'	16' MAX	7.125"	7.125"	10"	10.125"

- Notes: 1. Refer to "Executive Screens Overlay Reference Chart(s)".
 2. Minimum "D" Dimension Based On Minimum Cavity Size To Cover Housing, Slide Bar, and Bottom Seal Components.
 3. Any Optional Covers Should Be Made "Easy To Remove" For Service Access To Components.